

phexxi[®]

(lactic acid, citric acid, and
potassium bitartrate) Vaginal Gel
1.8%, 1%, 0.4%

Hormone-Free Birth Control

designed with you in mind



Save on Phexxi[®]

Eligible women may be able
to receive Phexxi for FREE!

Please see Important Safety Information throughout.

phexxi[®]

(lactic acid, citric acid, and
potassium bitartrate) Vaginal Gel
1.8%, 1%, 0.4%



No Hormones?

ZERO. ZILCH. NADA. NONE.

What is Phexxi[®]?

Phexxi is an FDA-approved, hormone-free, prescription, vaginal birth control gel that you control.



Phexxi comes in a **4-inch applicator** that you use similarly to a tampon



1 prescription includes **12 individually wrapped, single-dose applicators**



Phexxi is used right before sex, or up to 1 hour before sex, and is effective immediately



An additional dose of Phexxi must be used before each act of sex



Phexxi is easily reversible, because you might want a baby someday, just not now

Phexxi[®] puts you in control

Phexxi is quick and easy to use.
Inserting the Phexxi applicator is similar
to inserting a tampon.

When to use Phexxi is simple
to remember:

1 DOSE / 1 HOUR / 1 ACT



INDICATION

Phexxi is an on-demand method of birth control used to prevent pregnancy. Phexxi is not effective when used after sex.

IMPORTANT SAFETY INFORMATION

Rare cases (0.36%) of bladder and kidney infection have been reported. If you have a history of urinary tract problems that keep coming back, you should not use Phexxi.

Please see full [Product Information](#) for Phexxi.

How does Phexxi® work?

Vaginas have pH levels that can range from 3.5 to 4.5.



When semen (sperm) enters the vagina, it raises the vagina's pH level, which allows sperm to be mobile and swim up the reproductive canal.



Phexxi works to keep vaginal pH in the range of 3.5 to 4.5, which lowers sperm mobility, lowering the chance of sperm reaching the egg.



Phexxi is designed to stay in place during intercourse.



IMPORTANT SAFETY INFORMATION (CONT'D)

Contact your healthcare provider if you are experiencing genitourinary side effects such as vaginal burning, itching, discharge, genital discomfort (including in male partners), yeast infection, urinary tract infection or bacterial vaginosis.

Phexxi does not protect against any sexually transmitted infections, including HIV. Avoid using with a vaginal ring.

Please see full [Product Information](#) for Phexxi.

Proven safe and effective



Phexxi® is **93% effective** at preventing pregnancy when used as directed by your doctor.

With typical use, Phexxi is **86% effective** at preventing pregnancy.

Typical use includes women who may not have correctly followed the Instructions for Use during the clinical trial.



Not shown to size.

In studies, **less than 2%** of women stopped using Phexxi because of side effects.

IMPORTANT SAFETY INFORMATION (CONT'D)

Avoid Phexxi if you or your sexual partner is allergic to lactic acid, citric acid, potassium bitartrate, or any of the ingredients in Phexxi. Stop using Phexxi if you develop an allergic reaction.

For more information about Phexxi, talk to your healthcare provider and see full Product Information.

Please report side effects by contacting Evofem Biosciences® toll-free at 1-833-EVFM BIO or contact FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see full [Product Information](#) for Phexxi.



(lactic acid, citric acid, and
potassium bitartrate) Vaginal Gel
1.8%, 1%, 0.4%



Ready for a prescription?

Connect with a doctor through telehealth

Have your prescription sent right to your door
so you never have to take off your comfy clothes
(unless you want to).^a

^aA small fee for the doctor consultation may apply, sort of like
an in-office visit.



Phexxi and the Phexxi logo are registered
trademarks of Evofem Biosciences, Inc.
Trademarks, registered or otherwise, are
the property of their respective owner(s).
© 2021 Evofem Biosciences, Inc.
EVFM-US-001639 • August 2021